



Docket No.: CC001

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Application

I hereby certify that the transmittal of the below described documents is being deposited with the United States Postal Service in an envelope bearing Express Mail Postage and an Express Mail label, with the below serial number, addressed to the Commissioner of Patents and Trademarks, Washington, D.C., 20231, on the below date of deposit.			
Express Mail Label No.:	EI494026447US	Name of Person Making the Deposit:	CARL CHASE, JR.
Date of Deposit:	8/18/97	Signature of the Person Making the Deposit:	<i>Carl A. Chase Jr.</i>

Inventor(s): Carl A. Chase, Jr.

Title: PORTABLE INFLATABLE MESSAGE SUPPORT APPARATUS

The Commissioner of Patents and Trademarks
Washington, D.C. 20231

Sir:

Transmittal of a Patent Application

(Under 37 CFR §1.53)

Transmitted herewith is the above identified patent application, including:

- ☒ Specification, claims and abstract, totaling 24 pages.
☐ Formal drawings, totaling _____ pages.
☒ Informal drawings, totaling 3 pages.
☒ Declaration and Power of Attorney.
☒ Information Disclosure statement.
☒ Form 1449
☐ Assignment(s)
☐ Assignment Recordation Form (duplicate)
☐ Other: Copy of Reference Cited

FEES DUE

The fees due for filing the specification pursuant to 37 C.F.R. § 1.16 and for recording of the Assignment, if any, are determined as follows:

CLAIMS					
	NO. OF CLAIMS		EXTRA CLAIMS	RATE	FEES
Basic Application Fee					\$385.00
Total Claims	20	Minus 20=	0	X \$11 =	0
Independent Claims	4	Minus 3=	1	X \$40 =	\$40.00
If multiple dependent claims are presented, add \$260.00					
Add Assignment Recording Fee of \$40.00 If Assignment document is enclosed					
TOTAL APPLICATION FEE DUE					\$425.00

PAYMENT OF FEES

1. The full fee due in connection with this communication is \$425.00
provided as follows:
- [] The Commissioner is hereby authorized to charge any additional fees associated with this communication or credit any overpayment to Deposit Account No.: _____
A duplicate copy of this authorization is enclosed.
- [] A check in the amount of \$425.00
- [] Charge any fees required or credit any overpayments associated with this filing to Deposit Account No.: _____


This application is filed pursuant to 37 C.F.R. § 1.53 in the name of the above-identified Inventor(s).

Please direct all correspondence concerning the above-identified application to the following address:

CARL A. CHASE, JR.
P.O. Box 484
Big Sur, California 93920
(408) 667-2885

Respectfully submitted,

Date: 8/8/97

By: 
Carl A. Chase, Jr.

UNITED STATES PATENT APPLICATION

FOR

PORTABLE INFLATABLE MESSAGE SUPPORT APPARATUS

Inventor:
CARL A. CHASE, JR.

05909742-081457
/51180-21760680

PORTABLE INFLATABLE MASSAGE SUPPORT APPARATUS

5

TECHNICAL FIELD

The present claimed invention relates to the field of massage therapy.

- 10 More specifically, the present claimed invention relates to supporting structures used during a massage.

BACKGROUND ART

- 15 Massage is widely practiced and accepted as a relaxing and therapeutic treatment for various conditions. During a typical massage, the client (i.e. the person being massaged) lies on a massage table. The client's face is typically supported in a face cradle extending from the head-end of the massage table. Additionally, often a cylindrical foot bolster is placed under the client's ankles
- 20 (near the foot-end of the massage table) to provide further support for the client's body during the massage. The massage table is commonly a substantial, solid, table-like structure having a padded top surface. Such prior art massage tables also require adaptations/mechanical contraptions to accommodate the attachment of a face cradle thereto. Conventional massage
- 25 tables are extremely heavy (weighing as much as or more than 50 pounds), are extremely bulky (about the size of a twin bed), and are often very expensive (typically costing in the range of 600-800 dollars). Hence, conventional

message tables are inherently un-portable, and are not affordable for many people.

As yet another drawback, a conventional message table, and its
5 accompanying face cradle and foot bolster, does not always provide
appropriate support for the client during the massage. For example, after
much use, the foam-pad filling of a conventional face cradle often shifts or
becomes dislodged within the face cradle. As a result, the face cradle exerts
undue stress on the forehead and/or cheekbones of the client. Also, if the face
10 cradle is disposed too near the head-end of the message table, the
throat/Adam's apple area of the client may be subjected to excess pressure
from the head-end of the message table. In such an instance, the client's
breathing and comfort is compromised. Similarly, a conventional message
table may have the foam-pad filling thereof shifted or dislodged from the desired
15 locations. Hence, bony protuberances present at, for example, the client's hips
and/or shoulders may have unwanted and deleterious pressure exerted thereon.

As still another drawback, during some types of message therapy, it is
desired to rotate or "rock" the client's body during the massage. The
20 unyielding/restrictive and static nature of prior art message tables, face
cradles, and foot bolsters is not always well suited to such dynamic message
techniques.

Thus, a need exists for a message support structure which is
25 lightweight, compact, and inexpensive. A further need exists for a message
support structure which readily portable. Still another need exists for a
message support structure which meets the above needs and which provides

appropriate and comfortable massage support without unduly restricting movement of the client's body.

08900712.081197

DISCLOSURE OF THE INVENTION

The present invention provides a massage support structure which is lightweight, compact, and inexpensive. The present invention further provides
5 a massage support structure which readily portable. The present invention also meets the above needs and further achieves a massage support structure which provides appropriate and comfortable massage support without unduly restricting movement of the client's body. The present invention meets the above needs with a portable, inflatable, massage support structure.

10

More specifically, in one embodiment, the present invention is comprised of an inflatable body supporting structure having a top surface and a bottom surface. The top surface and the bottom surface define an enclosure therebetween when the inflatable body supporting structure is inflated. In the
15 present invention, the inflatable body supporting structure has a head end and a foot end. Additionally, in the present invention, the inflatable body supporting structure has massage facilitating features formed into the inflatable body supporting structure. The massage facilitating features are adapted to enhance the massaging of a person when the person is disposed on
20 the inflatable body supporting structure.

25

In another embodiment, the present invention includes the features of the above-described embodiment and further includes an inflatable foot bolster for supporting the feet of a person being massaged.

These and other objects and advantages of the present invention will no doubt become obvious to those of ordinary skill in the art after having read the

following detailed description of the preferred embodiments which are illustrated in the various drawing figures.

08900712.084497

BRIEF DESCRIPTION OF THE DRAWINGS

The accompanying drawings, which are incorporated in and form a part of this specification, illustrate embodiments of the invention and, together with
5 the description, serve to explain the principles of the invention:

FIGURE 1 is a top view of the present portable inflatable massage support apparatus showing massage facilitating features in accordance with the present claimed invention.

10

FIGURE 2 is a top view of an inflatable face cradle having an inflation valve in accordance with the present claimed invention.

FIGURE 3 is a perspective view of an inflatable foot bolster in
15 accordance with the present claimed invention.

BEST MODE FOR CARRYING OUT THE INVENTION

Reference will now be made in detail to the preferred embodiments of the invention, examples of which are illustrated in the accompanying drawings.

- 5 While the invention will be described in conjunction with the preferred embodiments, it will be understood that they are not intended to limit the invention to these embodiments. On the contrary, the invention is intended to cover alternatives, modifications and equivalents, which may be included within the spirit and scope of the invention as defined by the appended claims.
- 10 Furthermore, in the following detailed description of the present invention, numerous specific details are set forth in order to provide a thorough understanding of the present invention. However, it will be obvious to one of ordinary skill in the art that the present invention may be practiced without these specific details. In other instances, well known methods, procedures,
- 15 components, and circuits have not been described in detail as not to unnecessarily obscure aspects of the present invention.

- With reference now to Figure 1, a top view of the present portable inflatable massage support apparatus with massage facilitating features in accordance with the present invention is shown. In one embodiment, the present invention is comprised of an inflatable body supporting structure 100 having a top surface 102 and a bottom surface (hidden). Top surface 102 and the bottom surface, hidden, define an enclosure therebetween when inflatable body supporting structure 100 is inflated. When inflated, inflatable body
- 25 supporting structure 100 forms a "body pillow" which is adapted to comfortably support the body of a person during a massage. In the present embodiment, top surface 102 and the bottom surface, hidden, are sealed at

03909712-104197

together at their respective edges using, for example, a heat sealed flange. Inflatable body supporting structure 100 further includes a head end 104 and a foot end 106. An inflation valve 108 is disposed on inflatable body supporting structure 100 near foot end 106 thereof. Inflation valve 108 is coupled to
5 inflatable body supporting structure 100 and extends through inflatable body supporting structure 100 to provide for inflation thereof. Although inflation valve 108 is disposed as shown in the present embodiment, the present invention is also well suited to having inflation valve 108 located elsewhere on inflatable body supporting structure 100. Additionally, inflatable body
10 supporting structure 100 is adapted to be inflated either orally, or with an air pump.

Referring still to Figure 1, in the present embodiment, inflatable body supporting structure 100 has a length, L, of approximately 49 inches, a width,
15 w₁, at head end 104 of approximately 24 inches, and a width, w₂, at foot end 106 of approximately 29 and 1/2 inches. When inflated, inflatable body supporting structure has a height of approximately 12 and 1/4 inches. The present invention is, however, well suited to increasing or decreasing the dimensions of inflatable body supporting structure 100 as desired. In the
20 present embodiment, inflatable body supporting structure is formed of 20-30 mil thick vinyl. Although such a material is used in the present embodiment, the present invention is well suited to being formed of any other various other materials such as plastics, rubber, and the like. Also, by forming inflatable body supporting structure 100 of lightweight foldable material (e.g. 20-30 mil
25 vinyl), the present invention can be compactly folded and easily carried when deflated. In fact, in the present embodiment, inflatable body supporting structure 100 weighs only 3-5 pounds, and, when deflated can easily fit within a

small (e.g. grocery bag-sized) carrying bag. Furthermore, the present invention can be inexpensively manufactured compared to conventional massage tables. Thus, unlike conventional massage tables, the present invention is extremely light (weighing as little or even less than 3 pounds), is extremely compact

5 (when deflated, about the size of a telephone book), and is very inexpensive (costing much less than the 600-800 dollars charged for conventional massage tables). The inflatable body supporting structure 100 of the present invention is well suited to being placed, for example, on the floor, on a table, on a bed, or other firm surface. During use, a sheet or other object can be placed over the

10 present invention to provide a more comfortable surface, and to prevent massage oils and the like from contacting the present invention. Thus, the present invention provides a portable, compact massaging surface, and eliminates the need for a conventional, bulky, heavy, and expensive massage table.

15

In the embodiment of Figure 1, inflatable body supporting structure 100 includes an interior face cradle 110 disposed proximate to head end 104 of inflatable body supporting structure 100. Interior face cradle 110 supports the head/face of a person during a massage. In the present embodiment, interior

20 face cradle 110 is disposed between top surface 102 and bottom surface, hidden, of inflatable body supporting structure 100. That is, interior face cradle 110 is disposed within the enclosure defined by top surface 102 and the bottom surface, hidden, of inflatable body supporting structure 100. Thus, in the present embodiment, interior face cradle 110 is integral with inflatable body

25 supporting structure 100. Interior face cradle 110 has a size sufficient to comfortably support the forehead and cheeks of a person being massaged. For example, in the present embodiment, interior face cradle 110 has a total

length, L_c , of approximately 8 and 1/2 inches, and a total width, w_c , of approximately 10 inches. Furthermore, in the present embodiment, interior face cradle 110 is inflatable. In the present inflatable embodiment, inflatable interior face cradle 110 includes an inflation valve 112. Inflation valve 112 is coupled to interior face cradle 110 and extends through the bottom surface, hidden, of inflatable body supporting structure 100 to provide for inflation of said interior face cradle. Although inflation valve 112 is disposed as shown in the present embodiment, the present invention is also well suited to having inflation valve 112 located elsewhere on inflatable interior face cradle 110. Additionally, although interior face cradle 110 is inflatable in the present embodiment, the present invention is also well suited to having a non-inflatable interior face cradle disposed between top surface 102 and the bottom surface, hidden, of inflatable body supporting structure 100.

By using the inflatable face cradle of the present embodiment, the present invention comfortably supports the face/head of the person being massaged. That is, unlike conventional face cradles, the present invention does not contain conventional foam pad filling which often shifts or becomes dislodged within a conventional face cradle. Hence, the inflatable interior face cradle 110, of the present embodiment, does not exert undue stress on the forehead and/or cheekbones of the client (i.e. the person being massaged).

The present invention is also well suited to not having a face cradle disposed within the enclosure defined by top surface 102 and the bottom surface, hidden, of inflatable body supporting structure 100. In such an embodiment, during a massage, a cradle-less inflatable body supporting

structure would be utilized in conjunction with a face cradle which is disposed separate from the cradle-less inflatable body supporting structure.

With reference again to the embodiment of Figure 1, inflatable body supporting structure 100 also includes a faceplate opening 114. Faceplate opening 114 of the present embodiment is disposed near head end 104 of inflatable body supporting structure 100 within the recessed portion of interior face cradle 110. In this embodiment, faceplate opening 114 extends completely through inflatable body supporting structure 100 such that when a person is disposed face down on top surface 102 of inflatable body supporting structure 100, the person is able to breathe. Additionally, the soft, air-filled characteristics of inflatable body supporting structure 100 insures that the client's neck and throat area are comfortably supported. That is, unlike prior art massage tables and face cradles, the present invention does not subject the client's throat/Adam's apple to excess pressure from the head-end of the massage table. Hence, by using the present invention, the client's breathing and comfort is not compromised.

Referring still to Figure 1, the present inflatable body supporting structure 100, and the above-described massage facilitating features enhance the massaging of a client disposed on inflatable body supporting structure 100. That is, due to the soft, air-filled nature of the present invention, rocking or other dynamic massage motions are comfortable and easily realized. That is, unlike the prior art, bony protuberances present at, for example, the client's hips and/or shoulders will not have unwanted and deleterious pressure exerted thereon. Furthermore, because of the compressible nature of the present invention, inflatable body supporting structure 100 conforms to the unique

contour and shape of each client. Thus, clients of varying proportions and sizes can all be comfortably supported using an identical inflatable body supporting structure 100.

- 5 With reference next to Figure 2, a top view of an inflatable face cradle 200 having an inflation valve 202 in accordance with the present invention is shown. In the present embodiment, inflatable face cradle 200 does not reside within inflatable body supporting structure 100 of Figure 1. Instead, inflatable face cradle is well suited to being utilized in conjunction with a conventional
- 10 massage table, a cradle-less inflatable body supporting structure, or other massage support device. As described above, inflatable face cradle 200 is formed of 20-30 mil thick vinyl. Although such a material is used in the present embodiment, the present invention is well suited to being formed of any other various other materials such as plastics, rubber, and the like.
- 15 Also, inflatable face cradle 200 has a size sufficient to comfortably support the forehead and cheeks of a person being massaged. For example, in the present embodiment, inflatable face cradle 200 has a total length, L_c , of approximately 8 and 1/2 inches, and a total width, w_c , of approximately 10 inches. When
- 20 deflated, inflatable face cradle 200 is compact enough to fit within someone's pocket. Thus, inflatable face cradle 200 of the present embodiment is capable of being made (i.e. through deflation) extremely compact and portable.

- With reference still to Figure 2, the present inflatable face cradle also includes a recessed region 204. Recessed region 204 is adapted to receive the
- 25 client's throat/neck area. Thus, inflatable face cradle 200 does not subject the client's throat/Adam's apple to excess pressure from the head-end of the

massage table. Hence, by using the present invention, the client's breathing and comfort is not compromised.

With reference again to Figure 1, the present inflatable body supporting structure also includes arm cradling portions 116a and 116b formed therein. In the present embodiment, arm cradling portions 116a and 116b are comprised of depressions which readily accept the arms of the client. Thus, arm cradling portions 116a and 116b allow the client's arms to comfortably extend away from inflatable body supporting structure 100.

10

The present embodiment also includes an interior body bolster 118. Interior body bolster 118 provides additional support for the client's midsection when the client lies on the present inflatable body support structure. In the present embodiment, interior body bolster 118 is disposed between top surface 102 and bottom surface, hidden, of inflatable body supporting structure 100. That is, interior body bolster 118 is disposed within the enclosure defined by top surface 102 and the bottom surface, hidden, of inflatable body supporting structure 100. Thus, in the present embodiment, interior body bolster is integral with inflatable body supporting structure 100. Interior body bolster 118 has a size sufficient to comfortably support the torso of the client. For example, in the present embodiment, interior body bolster 118 has a total length, L_b , of approximately 22 inches, and a total width, w_b , of approximately 5 and 1/2 inches.

In the present embodiment, interior body bolster 118 is inflatable. More specifically, as inflatable body supporting structure 100 is inflated, air is forced into interior body bolster 118. As interior body bolster 118 becomes inflated,

opening 119 closes. In so doing, interior body bolster 118 is completely inflated and maintains its inflated state regardless of the pressure or degree to which inflatable body supporting structure 100 is inflated. Thus, once inflated, interior body bolster 118 provides additional support for the torso of the client

5 lying on inflatable body support 100. Additionally, interior body bolster 118 is sensitive to the pressure exerted thereon by the client. In fact, interior body bolster 118 is able to release pressure therefrom when the client applies excessive force. That is, if a heavier client lies on inflatable body support 100 and, consequently, interior body bolster 118, air may be forced from interior

10 body bolster 118 via opening 119 until the pressure applied to the client's torso is reduced. In so doing, interior body bolster 118 regulates the pressure or support applied to the client's torso. It will be understood that the amount of pressure or support applied to the client's body is regulated by varying the parameters of opening 119 to control the amount of pressure required to expel

15 air from inflated interior body bolster 118. Furthermore, although such a pressure sensitive air valve is used in the present embodiment, the present invention is also well suited to using various other means such as, for example, a conventional inflation valve, to inflate and/or control the support or pressure applied by interior body bolster 118.

20

Referring still to Figure 1, the present embodiment also includes knee support regions 120a and 120b formed into inflatable body supporting structure 100. Knee support regions 120a and 120b are disposed proximate to foot end 106 of inflatable body supporting structure 100, and are adapted to

25 comfortably support the knees of a client during a massage. In the present embodiment, knee support regions 120a and 120b are comprised of depressions which readily accept the knees of the client.

Although the present embodiment includes, interior face cradle 110, faceplate opening 114, arm cradling portions 116a and 116b, interior body bolster 118, and knee support regions 120a and 120b, the present invention is
5 also well suited to an embodiment which include less than all of the aforementioned massage facilitating features.

With reference now to Figure 3, a perspective view of an inflatable foot bolster 300 in accordance with the present embodiment is shown. Inflatable
10 foot bolster 300 of the present embodiment is adapted for supporting the feet of a client being massaged. Inflatable foot bolster of Figure 3 includes a top surface 302 and a flat bottom surface 304. Top surface 302 and flat bottom surface 304 define an enclosure therebetween when inflatable foot bolster 300 is inflated. The present inflatable foot bolster 300 also includes an inflation
15 valve 306. Inflation valve 306 is coupled to the interior of inflatable foot bolster 300 and extends through the exterior thereof to provide for inflation of inflatable foot bolster 300.

With reference still to Figure 3, inflatable foot bolster 300 also includes a
20 first depression 308a and a second depression 308b for receiving the feet (i.e. cradling the ankles) of a client being massaged. Additionally, by having a flat bottom surface 304, inflatable foot bolster 300 remains steady when a client is massaged. That is, unlike conventional foam pad-filled cylindrical foot bolsters, the present inflatable foot bolster 300 will not shift, roll, or substantially move
25 during a massage.

00509712-001197

In the present embodiment, inflatable foot bolster 300 does not reside within inflatable body supporting structure 100 of Figure 1. Instead, inflatable foot bolster 300 is well suited to being utilized in conjunction with a conventional massage table, the above-described inflatable body supporting structure 100, or other massage support device. Inflatable foot bolster 300 is formed of 20-30 mil thick vinyl. Although such a material is used in the present embodiment, the present invention is well suited to being formed of any other various other materials such as plastics, rubber, and the like. Also, inflatable foot bolster 300 has a size sufficient to comfortably support the ankles/feet of a person being massaged. For example, in the present embodiment, inflatable foot bolster 300 has a total length, L_f , of approximately 23 and 1/2 inches, a maximum height, H_f , of approximately 6 and 1/2 inches, and a total width, w_f , of approximately 8 inches. When deflated, inflatable foot bolster 300 is compact enough to fit within someone's pocket. Thus, inflatable foot bolster 300 of the present embodiment is capable of being made (i.e. through deflation) extremely compact and portable.

With reference still to Figure 3, the present inflatable foot bolster also includes recessed regions 308a and 308b. Recessed regions 308a and 308b are adapted to receive the client's ankles/feet, and allow the client's ankles/feet to swivel and move naturally during a massage. Thus, inflatable foot bolster 300 does not move or shift during a massage, but still allows the client's ankles/feet to be comfortably supported and swivel naturally during a massage.

Thus, the present invention provides a massage support structure which is lightweight, compact, and inexpensive. The present invention further provides a massage support structure which readily portable. The present

invention also meets the above needs and further achieves a massage support structure which provides appropriate and comfortable massage support without unduly restricting movement of the client's body.

- 5 The foregoing descriptions of specific embodiments of the present invention have been presented for purposes of illustration and description. They are not intended to be exhaustive or to limit the invention to the precise forms disclosed, and obviously many modifications and variations are possible in light of the above teaching. The embodiments were chosen and described in
- 10 order to best explain the principles of the invention and its practical application, to thereby enable others skilled in the art to best utilize the invention and various embodiments with various modifications as are suited to the particular use contemplated. It is intended that the scope of the invention be defined by the Claims appended hereto and their equivalents.

CLAIMS

1. A portable, inflatable, massage support apparatus comprising:
an inflatable body supporting structure having a top surface and a
5 bottom surface, said top surface and said bottom surface defining an enclosure
therebetween when said inflatable body supporting structure is inflated, said
inflatable body supporting structure having a head end and a foot end; and
a massage facilitating feature formed into said inflatable body
supporting structure, said massage facilitating feature adapted to enhance the
10 massaging of a person disposed on said inflatable body supporting structure.

2. The portable, inflatable, massage support apparatus of Claim 1
wherein said inflatable body supporting structure further comprises:
an inflation valve, said inflation valve coupled to said inflatable body
15 supporting structure and extending through said inflatable body supporting
structure to provide for inflation of said inflatable body supporting structure.

3. The portable, inflatable, massage support apparatus of Claim 1
wherein said massage facilitating feature further comprises:
20 an interior face cradle disposed proximate to said head end of said
inflatable body supporting structure for supporting the head of said person
being massaged, said interior face cradle disposed between said top surface and
said bottom surface of said inflatable body supporting structure such that said
interior face cradle is disposed within said enclosure and integral with said
25 inflatable body supporting structure.

4. The portable, inflatable, massage support apparatus of Claim 3 wherein said interior face cradle is inflatable.

5. The portable, inflatable, massage support apparatus of Claim 4 wherein said interior face cradle further comprises:
an inflation valve, said inflation valve coupled to said interior face cradle and extending through said inflatable body supporting structure to provide for inflation of said interior face cradle.

10 6. The portable, inflatable, massage support apparatus of Claim 1 wherein said massage facilitating feature further comprises:
a faceplate opening disposed near said head end of said inflatable body supporting structure, said faceplate opening formed completely through said inflatable body supporting structure such that if said person is disposed face
15 down on said top surface of said inflatable body supporting structure, said person is able to breathe.

20 7. The portable, inflatable, massage support apparatus of Claim 1 wherein said massage facilitating feature further comprises:
an interior body bolster disposed between said head end and said foot end of said inflatable body supporting structure, said interior body bolster for supporting the torso region of said person being massaged, said interior body bolster disposed between said top surface and said bottom surface of said inflatable body supporting structure such that said interior body bolster is
25 disposed within said enclosure and integral with said inflatable body supporting structure.

8. The portable, inflatable, massage support apparatus of Claim 1 wherein said massage facilitating feature further comprises:

knee support regions formed into said inflatable body supporting structure, said knee support regions disposed proximate to said foot end of said inflatable body supporting structure for comfortably supporting the knees of said person being massaged.

9. The portable, inflatable, massage support apparatus of Claim 1 wherein said massage facilitating feature further comprises:

arm cradling portions formed into said inflatable body supporting structure, said arm cradling portions for comfortably supporting the arms of said person being massaged.

10. The portable, inflatable, massage support apparatus of Claim 1 wherein said portable, inflatable, massage support apparatus is formed of lightweight foldable material such that said portable, inflatable, massage support apparatus can be compactly folded and easily carried when deflated.

11. An inflatable massage support structure comprising:
an inflatable face cradle for supporting the head of a person being massaged, said inflatable face cradle having a top surface and a bottom surface, said top surface and said bottom surface defining an enclosure therebetween when said inflatable face cradle is inflated; and
an inflation valve, said inflation valve coupled to the interior of said inflatable face cradle and extending through the exterior of said inflatable face cradle to provide for inflation of said inflatable face cradle.

12. The inflatable massage support structure of Claim 11 wherein said inflatable face cradle further comprises:

- a forehead supporting region;
- a first cheek supporting region; and
- 5 a second cheek supporting region.

13. The inflatable massage support structure of Claim 11 wherein said inflatable face cradle is formed of lightweight foldable material such that said inflatable face cradle can be compactly folded and easily carried when deflated.

10

14. An inflatable massage support structure comprising:

an inflatable foot bolster for supporting the feet of a person being massaged, said inflatable foot bolster having a top surface and a bottom surface, said top surface and said bottom surface defining an enclosure

15 therebetween when said inflatable foot bolster is inflated; and

an inflation valve, said inflation valve coupled to the interior of said inflatable foot bolster and extending through the exterior of said inflatable foot bolster to provide for inflation of said inflatable foot bolster.

15. The inflatable massage support structure of Claim 14 wherein said inflatable foot bolster further comprises:

- a first depression for receiving a first foot of said person being massaged;
- a second depression for receiving a second foot of said person being massaged.

25

16. The inflatable massage support structure of Claim 14 wherein said bottom surface of said inflatable foot bolster is flat such that said inflatable foot bolster remains steady when said person is massaged.

- 5 17. The inflatable massage support structure of Claim 14 wherein said inflatable foot bolster is formed of lightweight foldable material such that said inflatable foot bolster can be compactly folded and easily carried when deflated.

- 10 18. A massage support structure assembly comprising:
an inflatable body supporting structure having a top surface and a bottom surface, said top surface and said bottom surface defining an enclosure therebetween when said inflatable body supporting structure is inflated, said inflatable body supporting structure having a head end and a foot end;
an inflatable face cradle disposed proximate to said head end of said
15 inflatable body supporting structure for supporting the head of said person being massaged;
a faceplate opening disposed near said head end of said inflatable body supporting structure, said faceplate opening formed completely through said inflatable body supporting structure such that if said person is disposed face
20 down on said top surface of said inflatable body supporting structure, said person is able to breathe;
an interior body bolster disposed between said head end and said foot end of said inflatable body supporting structure, said interior body bolster for supporting the torso region of said person being massaged, said interior body
25 bolster disposed between said top surface and said bottom surface of said inflatable body supporting structure such that said interior body bolster is disposed within said enclosure of said inflatable body supporting structure;

08909712-001107

knee support regions formed into said inflatable body supporting structure, said knee support regions disposed proximate to said foot end of said inflatable body supporting structure for comfortably supporting the knees of said person being massaged;

- 5 arm cradling portions formed into said inflatable body supporting structure, said arm cradling portions for comfortably supporting the arms of said person being massaged; and

- an inflatable foot bolster disposed proximate to said foot end of said inflatable body supporting structure for supporting the feet of a person being
- 10 massaged, said inflatable foot bolster having a top surface and a bottom surface, said top surface and said bottom surface defining an enclosure therebetween when said inflatable foot bolster is inflated.

19. The massage support structure assembly of Claim 18 wherein said
- 15 inflatable face cradle is disposed between said top surface and said bottom surface of said inflatable body supporting structure such that said inflatable face cradle is disposed within said enclosure and integral with said inflatable body supporting structure.

- 20 20. The massage support structure assembly of Claim 18 further comprising:

an inflation valve, said inflation valve coupled to the interior of said inflatable face cradle and extending through the exterior of said inflatable face cradle to provide for inflation of said inflatable face cradle.

PORTABLE INFLATABLE MASSAGE SUPPORT APPARATUS

ABSTRACT OF THE DISCLOSURE

5

A portable, inflatable, massage support apparatus. In one embodiment, the present invention is comprised of an inflatable body supporting structure having a top surface and a bottom surface. The top surface and the bottom surface define an enclosure therebetween when the inflatable body supporting structure is inflated. In the present invention, the inflatable body supporting structure has a head end and a foot end. Additionally, in the present invention, the inflatable body supporting structure has massage facilitating features formed into the inflatable body supporting structure. The massage facilitating features are adapted to enhance the massaging of a person when the person is disposed on the inflatable body supporting structure.

10

15




Fig. 1




Fig. 2

08909712-001197




Fig. 3

Declaration for a Patent Application

Declaration

As below named inventor, I hereby declare that my residence post office address, and citizenship are as stated below my name. Further, I hereby declare that I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

PORTABLE INFLATABLE MESSAGE SUPPORT APPARATUS

the specification of which:

 X is attached hereto, or
 was filed on as application serial no. : and
 was amended on

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above; and

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, Section 1.56(a).

Foreign Priority Claim

I hereby claim foreign priority benefits under Title 35, United States Code Section 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Number	Country	Date Filed	Priority Claimed
<u> </u>	<u> </u>	<u> </u>	<u> </u> yes <u> </u> no
<u> </u>	<u> </u>	<u> </u>	<u> </u> yes <u> </u> no

U.S. Priority Claim

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, Section 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, Section 1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

Serial Number	Filing Date	Status (patented/pending/abandoned)
<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>

08903712.001137

Signatures

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full Name of Sole/First Inventor: Carl A. Chase, Jr.

Inventor's Signature: Carl A. Chase, Jr.

Date: 8/8/97

Residence: Big Sur, California
(City State)

Citizenship: US

P.O. Address: 51250 Partington Ridge, Big Sur, California 93920

Full Name of Second/Joint Inventor: _____

Inventor's Signature: _____

Date: _____

Residence: _____

Citizenship: _____

(City State)

P.O. Address: _____

Full Name of Third/Joint Inventor: _____

Inventor's Signature: _____

Date: _____

Residence: _____

Citizenship: _____

(City State)

P.O. Address: _____

Full Name of Fourth/Joint Inventor: _____

Inventor's Signature: _____

Date: _____

Residence: _____

Citizenship: _____

(City State)

P.O. Address: _____

Full Name of Fifth/Joint Inventor: _____

Inventor's Signature: _____

Date: _____

Residence: _____

Citizenship: _____

(City State)

P.O. Address: _____

VERIFIED STATEMENT CLAIMING SMALL ENTITY STATUS
(37 CFR 1.9(f) and 1.27(b))--INDEPENDENT INVENTOR

☒ Applicant Carl A. Chase, Jr. Patentee _____
☐ Application No. _____ Patent No. _____
☐ Filed on _____ Issued on _____

Title PORTABLE INFLATABLE MESSAGE SUPPORT APPARATUS

As below named inventor, I hereby declare that I qualify as an independent inventor, as defined in 37 CFR 1.9(c), for purposes of paying reduced fees to the United States Patent and Trademark Office under Sections 41(a) and (b) of Title 35, United States Code, to the Patent and Trademark Office, with regard to the invention described in

☒ the specification filed herewith, with title as listed above.

☐ the application identified above.

☐ the patent identified above.

I have not assigned, granted, conveyed or licensed, and am under no obligation under contract or law to assign, grant, convey or license, any rights in the invention to any person who would not qualify as an independent inventor under 37 CFR 1.9(c), if that person had made the invention, or to any concern that would not qualify as a small business concern under 37 CFR 1.9(e).

Each person, concern or organization to which I have assigned, granted, conveyed, or licensed or am under no obligation under contract or law to assign, grant, convey or license any rights in the invention is listed below:

☒ No such person, concern, or organization exists.

☐ Each such person, concern or organization is listed below.

FULL NAME _____

ADDRESS _____

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further, that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

Carl A. Chase, Jr.

Name of Inventor

Carl A. Chase Jr.
Signature of Inventor

Date

8/8/97

103009712-001197